

: μ
: 7/2018

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
20.02	1	- μ	02-03-00-00		
10.02	2	μ μ			
20.30	3	μ μ μ			
10.04	4	μ μ			
\ 01.02	5	(μ .>= 5Km)			
22.20.01	6				
32.01.04	7	μ μ μ , μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.25.03	8	μ μ μ , 30,00m3 μ C16/20 μ			
38.02	9	μ	01-04-00-00		
38.20.03	10	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
51	11	μ	05-02-01-00 *	- -	05-02-01-00
38.20.02	12	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
43.01.02	13	μ μ μ μ μ μ 1:2 1/2 150 kg μ	03-02-01-00		
42.26	14	μ μ			
2.1.5.1	15	(- - μ)			

	μ.		1501- +	(17/07-09-2016)	
μ					
7.7.1	16				
73.12	17	μ μ	03-07-03-00 *	μ	03-07-03-00
78.96	18	μ	05-02-02-00 *	- μ	05-02-02-00
54.80.02	19	μ			
76.27.04	20	μ μ - μ - 10 mm, 28 mm, (6 mm, laminated 8 mm + 4 mm)	03-08-07-02		
65.25	21	μ			
65.17.06	22	μ μ μ μ , μ μ (), μ	03-08-03-00 *	μ μ	03-08-03-00
65.01.02	23	μ μ μ μ μ kg/m2 12 - 24	03-08-03-00 *	μ μ	03-08-03-00
77.16	24	μ μ μ	03-10-05-00		
77.17.02	25	μ μ μ	03-10-02-00		
			03-10-05-00		
77.71.01	26	μ μ μ μ	03-10-05-00		
07	27	μ μ	02-07-05-00		
09	28	μ			
02	29	μ	10-05-02-01		
11.2	30	μμ			
01.3	31	, 3	10-09-01-00		
09.5	32	μ μ μ 4,50 - 12,00 lt	10-05-01-00		
01.2	33	μ 0,50 0,50 0,50 m μ	10-05-01-00		

	μ.		1501-+	(17/07-09-2016)	
μ					
04.1.2	34	μ	μ 4 m	10-06-04-01 *	μ
					10-06-04-01

2018

2018

μ /