

: μ , . .

: 36/2017

μ μ -

: 17/07-09-2016 ( : 75 46530 - 2 ), 26/ 04-10-2012 ( : 4 81-70 )

	μ.		1501-+	( 17/07-09-2016)	
μ					
01	1		02-01-02-00		
02	2	- μ	02-02-01-00 *		02-02-01-00
02.1	3	μ μ μ			
03.3	4	,	02-02-01-00 *		02-02-01-00
04.1	5	- μ	08-01-01-00		
14	6	μ μ μ , μ			
16	7				
18.3	8	μ , μ 4	02-06-00-00		
20	9	μ	02-07-01-00 *	μ μ μ	02-07-01-00
24.1	10	μ	02-07-05-00		
01	11	5,00 m μ	02-04-00-00		
02	12	μ μ . . . .	02-08-00-00		
04.2	13	μ μ ( )	02-07-03-00 *	μ	02-07-03-00

	μ.		1501- +	( 17/07-09-2016)	
μ					
29.2.1	14	, . μ μ C12/15,	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
29.2.2	15	, μ μ C12/15 , μ	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
30.2	16	μ μ B500C μ , μ	01-02-01-00 *	μ μ	01-02-01-00
12.01.01.07	17	μ , μ μ μ 1916 μ 1916 μ μ D1000 mm			
01.1	18	μ	05-03-03-00 *	μ	05-03-03-00
02.2	19	0,10 m ( . . . -155)	05-03-03-00 *	μ	05-03-03-00
03	22		05-03-11-01		
08.1	23	0,05 m μ , μ μ	05-03-11-04 *	μ ( ) μ μ	05-03-11-04

	μ.		1501-+	( 17/07-09-2016)	
μ					
01.1.6	24	2 1317-2, W2			
08.2.2	25	μ 12899-1	μ μ 2		
09.1	26		0,90 m		
09.4	27	μ μ μ			
10.2	28	mm (3")	μ DN 80	05-04-07-00 *	μ 05-04-07-00
17.2	29	μμ μ μ μ			
05	30	μ		05-03-03-00 *	μ 05-03-03-00
29.3.4	32	μ C16/20 ( , ) μ		01-01-01-00 *	μ 01-01-01-00
				01-01-02-00	
				01-01-03-00 *	μ 01-01-03-00
				01-01-04-00 *	μ μ 01-01-04-00
				01-01-05-00	
				01-01-07-00	
				01-03-00-00 *	μ 01-03-00-00
				01-04-00-00	
				01-05-00-00	

μ 2018

/ & μ

μ μμ